# SAFETY DATA SHEET

**Product Name PROTECT LX** 

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier name TAMSI INDUSTRIES PTY LTD

**Address** Unit 8/2A Burrows Road, St Peters, NSW, 2044

**Telephone** 02 9550 2822 02 9550 2877 Fax **Emergency** 02 9550 2822 **Email** info@tamsi.com.au WATER PROOFING Use(s) SDS date

# 2. HAZARDS IDENTIFICATION

#### NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**RISK PHRASES** 

None allocated

20 December 2013

SAFETY PHRASES

None allocated

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

**DG** class None Allocated **UN** number None Allocated None Allocated **Packing group** None Allocated Subsidiary risk(s)

Hazchem code None Allocated

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Identification	Classification	Content
CARBOXYLATED STYRENE-BUTADIENE COPOLYMER	Not Available	Not Available	80 to 95%
ADDITIVE(S)	Not Available	Not Available	7 to 15%
WATER	CAS: 7732-18-5 EC: 231-791-2	Not Available	5 to 10%
DEFOAMER(S)	Not Available	Not Available	1 to 2%
PRESERVATIVE(S)	Not Available	Not Available	1 to 2%

# 4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until

advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running

water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If Ingestion

swallowed, do not induce vomiting.

Advice to doctor Treat symptomatically.



Page 1 of 5 SDS Date: 20 Dec 2013 Product Name PROTECT LX

# 5. FIRE FIGHTING MEASURES

Flammability Non flammable. May evolve toxic gases (carbon oxides, butadiene, styrene, hydrocarbons) when

heated to decomposition.

Fire and explosion Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation.

Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers

and nearby storage areas.

**Extinguishing** Use an extinguishing agent suitable for the surrounding fire.

Hazchem code None Allocated

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear Personal Protective Equipment (PPE) as detailed in Section 8 of this SDS.

**Environmental precautions** Prevent product from entering drains and waterways.

Methods of cleaning up If spilt, collect and reuse where possible. Contain spillage, then cover / absorb spill with

non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable

containers for disposal.

**References** See Sections 8 and 13 for exposure controls and disposal.

### 7. STORAGE AND HANDLING

Storage Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs.

Ensure containers are adequately labelled, protected from physical damage and sealed when not in

use. Check regularly for leaks or spills.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid

eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before

eating. Prohibit eating, drinking and smoking in contaminated areas.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure standards** No exposure standard(s) allocated.

Biological limits No biological limit allocated.

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

ventilation is recommended.

**PPE** 

**Eye / Face** Wear splash-proof goggles. **Hands** Wear PVC or rubber gloves.

**Body** When using large quantities or where heavy contamination is likely, wear coveralls.

**Respiratory** Where an inhalation risk exists, wear a Type A (Organic vapour) respirator. If spraying, wear a Type

A-Class P1 (Organic gases/vapours and Particulate) respirator.





# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance VISCOUS BLUE, WHITE OR SANDSTONE COLOURED LIQUID

OdourODOURLESSFlammabilityNON FLAMMABLEFlash pointNOT RELEVANT

Boiling point 100°C

Melting point NOT AVAILABLE



Page 2 of 5

Product Name PROTECT LX

**Evaporation rate** NOT AVAILABLE

**pH** 9.2

Vapour density NOT AVAILABLE Specific gravity 0.98 to 1.040 Solubility (water) NOT AVAILABLE Vapour pressure 2.3 kPa @ 20°C **Upper explosion limit** NOT RELEVANT Lower explosion limit NOT RELEVANT Partition coefficient NOT AVAILABLE Autoignition temperature NOT AVAILABLE **Decomposition temperature** NOT AVAILABLE **Viscosity** NOT AVAILABLE **Explosive properties** NOT AVAILABLE **Oxidising properties** NOT AVAILABLE **Odour threshold** NOT AVAILABLE % Volatiles 5 % to 10 % (Water)

## 10. STABILITY AND REACTIVITY

**Chemical stability** Stable under recommended conditions of storage.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources.

Material to avoid Incompatible with oxidising agents (eg. hypochlorites) and acids (eg. nitric acid).

**Hazardous Decomposition** 

Products

May evolve toxic gases (carbon oxides, butadiene, styrene, hydrocarbons) when heated to

decomposition.

Hazardous Reactions Hazardous polymerization is not expected to occur.

### 11. TOXICOLOGICAL INFORMATION

Health Hazard Low toxicity. Use safe work practices to avoid eye or skin contact and inhalation. This product may

Summary contain trace amounts of residual monomers which may only present a hazard in confined, poorly

ventilated areas, with prolonged use or those individuals with existing sensitivities.

Eye Low to moderate irritant. Contact may result in irritation, lacrimation, pain and redness.

**Inhalation** Low to moderate irritant. Over exposure to vapours may result in irritation of the nose and throat, with

coughing. High level exposure may result in dizziness, nausea and headache. Due to the low vapour

pressure, an inhalation hazard is not anticipated with normal use.

Skin Irritant. Contact may result in drying and defatting of the skin, rash and dermatitis.

**Ingestion**Low toxicity. Ingestion of large quantities may result in nausea, vomiting and gastrointestinal

rritation.

**Toxicity data** No LD50 data available for this product.

# 12. ECOLOGICAL INFORMATION

**Toxicity** No information provided.

**Persistence and degradability** No information provided.

Bioaccumulative potential No information provided.

**Mobility in soil** No information provided.

Other adverse effects No information provided.

# 13. DISPOSAL CONSIDERATIONS

Waste disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site.

Contact the manufacturer for additional information if larger amounts are involved. Prevent contamination of drains and waterways as aquatic life may be threatened and environmental damage

may result.

**Legislation** Dispose of in accordance with relevant local legislation.



# 14. TRANSPORT INFORMATION

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
UN number	None Allocated	None Allocated	None Allocated
Proper shipping name	None Allocated	None Allocated	None Allocated
DG class/ Division	None Allocated	None Allocated	None Allocated
Subsidiary risk(s)	None Allocated	None Allocated	None Allocated
Packing group	None Allocated	None Allocated	None Allocated
Hazchem code	None Allocated		

# 15. REGULATORY INFORMATION

Poison schedule

A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Inventory Listing(s)** 

**AUSTRALIA: AICS (Australian Inventory of Chemical Substances)** 

All components are listed on AICS, or are exempt.

### 16. OTHER INFORMATION

#### **Additional information**

The additives in this product include 5 - 10 % powders and 2 - 5 % various minor ingredients.

STYRENE-BUTADIENE COPOLYMERS: Over exposure to styrene monomer may result in styrene sickness. Styrene monomer is classified as possibly carcinogenic to humans (IARC Group 2B) and 1,3-Butadiene as probably carcinogenic to humans (IARC Group 2A). However when both chemicals are bound together in a polymeric form the copolymers are not classifiable as to their carcinogenicity in humans (IARC Group 3).

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

### HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



Page 4 of 5

#### Product Name PROTECT LX

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

GHS Globally Harmonized System

IARC International Agency for Research on Cancer LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit
PEL Permissible Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

#### **Revision history**

Revision	Description
2.1	Standard SDS Review
2.0	Standard SDS Review
1.1	Standard SDS Review
1.0	Initial SDS creation

#### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au.

Revision: 2.1

SDS Date: 20 December 2013

**End of SDS** 



Page 5 of 5